Emergency Phone: 800-424-9300 Tenkoz Inc.
Alpharetta, GA 3002

Effective Date: August 26, 2009

1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT: TENKOZ AMINE 4 HERBICIDE

EPA Reg. No. 55467-14

COMPANY IDENTIFICATION:

Tenkoz Inc.

100 North Point Center East Alpharetta, GA 30022

2. HAZARDOUS IDENTIFICATIONS:

EMERGENCY OVERVIEW

Brown liquid with an amine odor. May cause severe eye

irritation with corneal injury.

EMERGENCY PHONE NUMBER: 800-424-9300

3. COMPOSITION/INFORMATION ON INGREDIENTS:

 COMPONENT
 CAS NUMBER
 W/W%

 2,4-D Dimethylamine Salt
 2008-39-1
 46.3

 Dimethylamine
 124-40-3
 1.0

 Balance
 52.7

4. FIRST AID:

EYES: Wash immediately and continuously with flowing water for at least 30 minutes. Remove contact lenses after the first 5 minutes and continue washing. Obtain prompt medical consultation, preferably from an ophthalmologist.

SKIN: Immediately flush skin with plenty of water while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse.

Contaminated leather items such as shoes should be disposed of properly.

INGESTION: If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

INHALATION: Move to fresh air; if effects occur, consult a physician.

NOTE TO PHYSICIAN: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES:

FLASH POINT: 190°F (88C)
METHOD USED: TCC
FLAMMABLE LIMITS
LFL: Not determined
UFL: Not determined

EXTINGUISHING MEDIA: Water fog

FIRE & EXPLOSION HAZARDS: Noxious fumes may be produced under fire conditions. Contain

water from fire fighting to prevent entry to surface or ground water.

FIRE-FIGHTING EQUIPMENT: Wear positive pressure, self-contained breathing apparatus and

full protective equipment.

Emergency Phone: 800-424-9300 Tenkoz Inc.
Alpharetta, GA 3002

Effective Date: August 26, 2009

6. ACCIDENTAL RELEASE MEASURES:

ACTION TO TAKE FOR SPILLS/LEAKS: Absorb small spills in an absorbent material such as sawdust, sand or clay. Dike area of large spills and call 800-424-9300. Wear protective clothing and self-contained breathing apparatus if vapors are present. Do not use water to clean up.

7. HANDLING AND STORAGE:

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep out of reach of children. Harmful if swallowed or absorbed through skin. Causes severe eye irritation. Avoid contact with eyes, skin and clothing. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Keep container tightly closed when not in use. Do not store below temperature of 25°F (-4C). If frozen (crystallized), warm to 65-75°F (19-24C) and re-dissolve before using by rolling or shaking the container. Store in a safe manner in original container only, in a cool, dry place. Reduce stacking height where local conditions can affect packaging strength. See product label for handling/storage precautions relative to the end use of this product.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

These precautions are suggested for conditions where the potential for exposure exists. Emergency conditions may require additional precautions.

EXPOSURE GUIDELINE:

2,4-D Dimethyulamine Salt: None established; ACGIH TLV and OSHA PEL are 10 mg/M₃ for the acid.

ENGINEERING CONTROLS: Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS:

RESPIRATORY PROTECTION: Atmospheric levels should be maintained below the exposure guidelines. When respiratory protection is required for certain operations, use an approved airpurifying respirator. The following could be effective types of air-purifying respirators: organic vapor cartridge with particulate pre-filter.

SKIN PROTECTION: Use protective clothing chemically resistant to this material. Selection of specific items such as boots, apron, faceshield, or full-body suit will depend on the task. Remove contaminated clothing immediately, wash skin areas with soap and water, and launder clothing before reuse. Items, which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

EYE/FACE PROTECTION: Use chemical goggles. Eye wash fountain should be located in immediate work area.

APPLICATORS AND ALL OTHER HANDLERS: Refer to the product label for personal protective clothing and equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES:

BOILING POINT: >212°F (100C)

VAPOR PRESSURE: 8.0 x 10-10 mmHg @ 25C

VAPOR DENSITY: <1 water vapor

Emergency Phone: 800-424-9300 Tenkoz Inc.
Alpharetta, GA 3002

Effective Date: August 26, 2009 **SOLUBILITY IN WATER**: Infinite

SPECIFIC GRAVITY: 1.17 approx. @ 68/68°F (20C)

APPEARANCE: Brown liquid

ODOR: Amine

10. STABILITY AND REACTIVITY:

STABILITY: (CONDITIONS TO AVOID) Stable under normal storage conditions. Do not store below temperature of 25°F (-4°C). If frozen (crystallized), warm to 65-75°F (19-24°C) and redissolve before using by rolling or shaking the container. Avoid excessive temperatures.

INCOMPATIBILITY: (SPECIFIC MATERIALS TO AVOID)

Acids and oxidizing materials.

HAZARDOUS DECOMPOSITION PRODUCTS: Hydrogen chloride and nitrogen oxide under fire

conditions.

HAZARDOUS POLYMERIZATION: Not known to occur.

11. TOXICOLOGICAL INFORMATION:

POTENTIAL HEALTH EFFECTS: This section includes possible adverse effects, which could occur if this material is not handled in the recommended manner.

EYE: May cause severe irritation with corneal injury, which may result in permanent impairment of vision, even blindness. Chemical burns may occur.

SKIN: Essentially non-irritating to skin. Prolonged or widespread contact may result in absorption of potentially harmful amounts. The LD₅₀ for skin absorption in rabbits is >1000 mg/kg.

INGESTION: Low toxicity if swallowed. The oral LD₅₀ for rats is ~1000 mg/kg. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

INHALATION: No adverse effects are anticipated from single exposure to vapor.

SYSTEMIC (OTHER TARGET ORGAN) EFFECTS: In animals, effects have been reported on the following organs: liver, kidney, and gastrointestinal tract, muscles. May cause nausea and vomiting. May cause abdominal discomfort or diarrhea.

CANCER INFORMATION: Various animal cancer tests have shown no reliable positive association between 2,4-D exposure and cancer. Epidemiology studies on herbicide use have been both positive and negative with the majority being negative.

TERATOLOGY (BIRTH DEFECTS): Did not cause birth defects in laboratory animals. Has been toxic to the fetus in laboratory animals at doses toxic to the mother.

REPRODUCTIVE EFFECTS: Excessive dietary levels of 2,4-D acid have caused decreased weight and survival in offspring in a rat reproduction study.

MUTAGENICITY (EFFECTS ON GENETIC MATERIAL):

In-vitro genetic toxicity studies were negative. The data presented are for the following material: 2,4-D acid: animal genetic toxicity studies were predominantly negative.

12. ECOLOGICAL INFORMATION:

ENVIRONMENTAL FATE:

MOVEMENT & PARTITIONING:

No bioconcentration is expected because of the relatively high water solubility.

Emergency Phone: 800-424-9300 Tenkoz Inc.
Alpharetta, GA 3002

Effective Date: August 26, 2009

DEGRADATION AND PERSISTENCE:

Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD >40%).

ECOTOXICOLOGY:

Material is practically non-toxic to aquatic organisms on an acute basis (LC₅₀ or EC₅₀ is >100 mg/L in most sensitive species tested).

13. DISPOSAL CONSIDERATIONS:

DISPOSAL METHOD: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) INFORMATION:

Package sizes less than ~22 gallons by land:

Not regulated

Packages sizes by land between 22 gallons and bulk

(119 gallons):

UN3082/ENVIRONMENTAL HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(2,4-D SALT)/9/PGIII/RQ (2,4-D SALT).

Package sizes >119 gallons (bulk) by land:

UN3082/ENVIRONMENTAL HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(2,4-D SALT)/9/PGIII/RQ (2,4-D SALT)/MARINE POLLUTANT (2,4-D SALT).

Package sizes by vessel less than 22 gallons:

UN3082/ENVIRONMENTAL HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(2,4-D SALT)/9/PGIII//MARINE POLLUTANT (2,4-D SALT).

Package sizes > 22 gallons by vessel:

UN3082/ENVIRONMENTAL HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(2,4-D SALT)/9/PGIII/RQ (2,4-D SALT)/MARINE POLLUTANT (2,4-D SALT).

15. REGULATORY INFORMATION:

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations.

Emergency Phone: 800-424-9300 Tenkoz Inc.
Alpharetta, GA 3002

Effective Date: August 26, 2009

U.S. REGULATIONS

SARA 313 INFORMATION: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

CHEMICAL NAME CAS NUMBER CONCENTRATION

Dimethylamine 124-40-3 1.0%

SARA HAZARD CATEGORY: This product has been reviewed according to the EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

An immediate health hazard

A delayed health hazard

A fire hazard

TOXIC SUBSTANCES CONTROL ACT (TSCA): All

ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

STATE RIGHT-TO-KNOW: The following product components are cited on certain state lists as mentioned. Non-listed components may be shown in the composition section of the MSDS.

CHEMICAL NAME CAS NUMBER LIST

Dimethylamine 124-40-3 NJ1 NJ2 NJ3 PA1 PA3

NJ1=New Jersey Special Health Hazard Substance (present at > or = to 0.1%).

NJ2=New Jersey Environmental Hazardous Substance (present at > or = to 1.0%).

NJ3=New Jersey Workplace Hazardous Substance (present at > or = to 1.0%).

PA1=Pennsylvania Hazardous Substance (present at > or = to 1.0%).

PA3=Pennsylvania Environmental Hazardous Substance (present at > or = to 1.0%).

OSHA HAZARD COMMUNICATION STANDARD: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) RATINGS:

Category Rating

Health 3

Flammability 2

Reactivity 1

COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT

(CERCLA, or SUPERFUND): This product contains the following substance(s) listed as

"Hazardous Substances" under CERCLA, which may require reporting of release.

CHEMICAL NAME CAS NUMBER RQ % IN PRODUCT

Dimethylamine 124-40-3 1000 lbs. 1.0

16. OTHER INFORMATION:

MSDS STATUS: Reference: DR-0115-0523

The Information Herein Is Given In Good Faith, But No Warranty, Express or Implied, Is Made. Consult Tenkoz Inc. for Further Information.